

Seat No.: _____

Enrolment No. _____

GUJARAT TECHNOLOGICAL UNIVERSITY
BE - SEMESTER-V (NEW) - EXAMINATION – SUMMER 2017

Subject Code: 2150608

Date: 03/05/2017

Subject Name: Structural Analysis II

Time: 02:30 PM to 05:00 PM

Total Marks: 70

Instructions:

1. Attempt all questions.
2. Make suitable assumptions wherever necessary.
3. Figures to the right indicate full marks.

Q -1 Answer following in Brief 14

- 1 Define: Strain Energy. Write the expression for strain energy due to flexure.
- 2 State Castiglino's 1st Theorem. What is the use of this theorem?
- 3 Define: Distribution Factor. What is the value of sum of all distribution factors at the joint?
- 4 Enlist various types of Skeletal structures.
- 5 Define: Influence line diagram. Where is it used?
- 6 State Castiglino's 2nd Theorem. What is the use of this theorem?
- 7 Explain the term "Carry-over factor". Write its values for different far end support conditions.
- 8 Define Stiffness. What are the units of stiffness?
- 9 Define Flexibility. What are the units of flexibility?
- 10 Explain the position of loads for evaluating "absolute maximum bending moment" for the beam by Influence Lines Diagram.
- 11 Why the flexibility method is not suitable for computer programming?
- 12 What are the causes for Sway in portal frames?
- 13 How sway correction factor is found for analysis of portal frame by moment distribution method?
- 14 Draw "Restrained Structure" and "Released structure" for a propped cantilever beam.

- Q-2 (a)** A propped cantilever beam AB of 4m span is fixed at left end A and hinged at right end B. Find the vertical reaction at support B (V_B), if it is subjected to a UDL of 40 kN/m on whole span. Use Castiglino's 2nd Theorem. **03**
- (b)** Using unit load method, calculate the deflection at free end B for a cantilever beam AB having length 6m and loaded by a UDL of 30 kN/m over whole span. ($EI = \text{Constant}$). **04**
- (c)** Using Castiglino's 1st theorem, calculate the deflection at point C for the beam shown in Figure – 1. **07**

OR

- (c)** Using Castiglino's 2nd theorem, find the vertical reaction at point C for the frame shown in Figure – 2. Also and draw BMD. Take $EI = \text{Constant}$. **07**

- Q.3 (a)** Find the distribution factors for all the members connected at point “O” as shown in Figure – 3. **03**
- (b)** Analyse the beam shown in Figure – 4 by Moment Distribution method. Also draw the Bending Moment Diagram. Take $EI = \text{constant}$. **04**
- (c)** Analyse the beam shown in Figure – 5 by Slope-Deflection method and draw BMD. Take $EI = \text{constant}$. **07**

OR

- Q.3 (a)** Write only the slope deflection equations for the portal frame as shown in Figure – 2. (Neglect Sway). **03**
- (b)** Analyse the beam shown in Figure – 4 by Slope-Deflection method and draw BMD. Take $EI = \text{constant}$. **04**
- (c)** Analyse the beam shown in Figure – 5 by Moment Distribution method and draw BMD. Take $EI = \text{constant}$. **07**

- Q.4 (a)** State and explain the Muller-Breslau’s Principle. **03**
- (b)** Draw qualitative Influence line diagrams for support reactions R_A , R_B and R_C for two span continuous beam ABC having both equal spans = L . **04**
- (c)** Three point loads 40 kN, 60 kN and 80 kN equally spaced 1m respectively, cross a girder of 20 m span from left to right, with the 80 kN load as leading load. Calculate maximum shear force (positive and negative), and bending moment at a section 5m from left end. **07**

OR

- Q.4 (a)** Construct Influence Line Diagrams for Reaction (R_A) and Moment (M_A) for a cantilever beam AB fixed at A and having span L . **03**
- (b)** For a simply supported beam AB of span 8m, draw Influence Line Diagrams for Support reactions (R_A and R_B), Shear Force and Bending Moment at a section 2m from left support. **04**
- (c)** For a propped cantilever beam AB, fixed at A and having roller support at B, of span 6m, draw ILD for R_B . Calculate ordinates of ILD at every 1m interval. **07**

- Q.5 (a)** Differentiate between stiffness and Flexibility methods. **03**
- (b)** A propped cantilever beam AB of 4m span is fixed at left end A and hinged at right end B is subjected to a UDL of 40 kN/m on whole span. Taking vertical reaction R_B , as redundant, analyze the beam using Flexibility method. **04**
- (c)** Analyse the beam shown in Figure – 5 by Stiffness method and draw BMD. Take $EI = \text{constant}$. **07**

OR

- Q.5 (a)** Enlist the properties of Stiffness matrix. **03**
- (b)** Write only the Stiffness matrix $[S]$ for the portal frame shown in Figure – 6. (Take AE and $EI = \text{Constant}$). **04**
- (c)** Find redundant reactions at supports (R_B and R_C) for the beam shown in Figure – 5 by Flexibility method. Take $EI = \text{constant}$. (Take R_B as Q_1 and R_C as Q_2 as redundant). **07**




Figure – 1




Figure – 2




Figure - 3




Figure – 4




Figure – 5




Figure – 6