Seat No.:

Enrolment No.

## GUJARAT TECHNOLOGICAL UNIVERSITY

BE - SEMESTER-VI (OLD) - EXAMINATION - SUMMER 2017

Subject Code: 160704 Date: 05/05/2017

**Subject Name: Theory Of Computation** 

Time: 10:30 AM to 01:00 PM Total Marks: 70

**Instructions:** 

- 1. Attempt all questions.
- 2. Make suitable assumptions wherever necessary.
- 3. Figures to the right indicate full marks.
- Q.1 (a) Explain one-to-one, onto and bijection function with suitable example.
  - (b) Explain equivalence relation with example. 07
- Q.2 (a) Write Regular Expressions for the following languages of all strings in  $\{0,1\}^*$ 
  - (i) Strings that do not end with 01.
  - (ii) The language of all strings containing both 101 and 010 as substrings
  - (b) Using Principle of Mathematical Induction, prove that for every n >= 1  $\sum_{n} i = n (n+1) / 2$ 07

OR

- **(b)** Prove that  $\sqrt{2}$  is Irrational by method of Contradiction.
- Q.3 (a) Let  $M_1$  and  $M_2$  be the two FAs as given below. 07

Draw FA recognizing  $(L_1 \cup L_2)$  and  $(L_1-L_2)$ where  $L_1$  and  $L_2$  correspond to  $M_1$  and  $M_2$  respectively.

**(b)** Compare FA, NFA and NFA-∧.

OR

Q.3 (a) Given the Context Free Grammar G, find a CFG G' in Chomsky Normal Form generating  $L(G) - \{ \}$ 

 $S \rightarrow aY \mid Ybb \mid Y$ 

$$X \to \wedge \mid a$$

М1

 $Y \rightarrow aXY \mid bb \mid XXa$ 

(b) Draw a FA for following regular language.

(i) (11+110)\*0

- (ii) (0+1)\*(10+11)
- Q.4 (a) For the language  $L = \{ xcx^r \mid x \in \{a,b\}^* \}$  design a PDA(Push Down Automata) and trace it for string "abcba".
  - (b) Write Kleene's Theorem part-I, Any regular language can be accepted by a **07** finite automation.

OR

Q.4 (a) Write transition table for PDA recognizing following language:  $\{a^ib^jc^k \mid j=i \text{ or } j=k \}$ .

**07** 

07

**07** 

| (b) Convert following NFA- $\Lambda$ to NFA | ) | ) | Convert | follo | wing | NFA- | $\Lambda t$ | o NF |
|---|---|---|---------|-------|------|------|-------------|------|
|---|---|---|---------|-------|------|------|-------------|------|

| q | $\delta (q, \Lambda)$ | $\delta(q, 0)$ | $\delta(q, 1)$ |
|---|-----------------------|----------------|----------------|
| A | { <b>B</b> }          | <b>{A}</b>     | Ó              |
| В | <b>{D</b> }           | {C}            | Ó              |
| С | Ó                     | Ó              | { <b>B</b> }   |
| D | Ó                     | { <b>D</b> }   | Ó              |

| Q.5 | (a) | Draw a Turing Machine(TM) to accept Palindromes over {a,b}. (Even as well | 07 |
|-----|-----|---|----|
|     |     | as Odd Palindromes).  |    |

**(b)** Write a short note on Universal Turing Machine.

Q.5 (a) Write a Turing Machine to copy strings.

**07** (b) Write a short note on  $\mu$ -recursive function. **07** 

\*\*\*\*\*

**07** 

**07**